	Application No.	Applicant(s)	7
Made - FAH - 1104	10/652,671	O'KRANGLEY ET AL.	
Notice of Allowability	Examiner	Art Unit	
	J. Allen Shriver	3618	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	plication. If not include will be mailed in due	ed course. <b>THIS</b>
1. This communication is responsive to <u>3/28/2005</u> .			
2.   The allowed claim(s) is/are 2-9,11-16,18 and 20-27.			
3. $\boxtimes$ The drawings filed on <u>28 March 2005</u> are accepted by the l	Examiner.		
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the content of the priority documents have a priority documents h</li></ul>	been received.  been received in Application No cuments have been received in this a of this communication to file a reply ENT of this application.  itted. Note the attached EXAMINER' es reason(s) why the oath or declara at be submitted. on's Patent Drawing Review ( PTO- as Amendment / Comment or in the O	national stage applicate complying with the requestion is deficient.  948) attached office action of the front (not the	uirements OTICE OF
DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT I	sit of BIOLOGICAL MATERIAL n	<i>.</i> nust be submitted. N	lote the
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O-Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendn 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	

## **DETAILED ACTION**

### Response to Amendment

1. Applicant's submittal of an amendment was received on March 28, 2005, wherein claims 2-5, 11, 13-14, 18, 20, 24 and 27 were amended and claims 1, 10, 17 and 19 were cancelled.

# **Drawings**

2. The drawings were received on March 28, 2005. These drawings are approved.

## Allowable Subject Matter

- 3. Claims 2-9, 11-16, 18 and 20-27 are allowed over the prior art.
- 4. The following is an examiner's statement of reasons for allowance: In the Examiner's opinion, an undercarriage for transporting a stretcher having a control system adapted to selectively pivot said first pair of legs to a stowed position and to selectively pivot said second pair of legs to a stowed position, and said control system further adapted to selectively lengthen or shorten said legs to adjust the height of said support base, said control system including a plurality of actuators, said actuators pivoting and adjusting the length of said legs, wherein said actuators comprise (hydraulic) cylinders and wherein each of said legs includes a pivot actuator and a height adjustment actuator, wherein said pivoting and adjusting the length of said legs is independent, was not anticipated by the prior art, nor would it have been obvious to a person of ordinary skill in this art. The prior art, specifically Du-Bois ('159) discloses an undercarriage for a stretcher, but does not disclose wherein the actuators are (hydraulic cylinders) or wherein each

Art Unit: 3618

of said legs includes a pivot actuator and a height adjustment actuator, wherein said pivoting and adjusting the length of said legs is independent.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Allen Shriver whose telephone number is (571) 272-6698. The examiner can normally be reached on Mon-Thurs 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris P. Ellis can be reached on (571) 272-6914. Any inquiry of a general nature or relating to the status of this application should be directed to the group receptionist whose telephone number is (703) 308-1113.

As of May 1, 2003, any response to this action should be mailed to:

Mail Stop Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Or faxed to: (703) 872-9306 (for formal communications intended for entry). (703) 746-3852 (for informal communications directly to the Examiner).

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications Application/Control Number: 10/652,671

Art Unit: 3618

Page 4

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tuesday, April 19, 2005

**JAS**